5 gallons of AW46 Hydraulic Oil



Exxon_Humble_H_4_5087f932b5aad.jpg

EX(O)

5 Gallons of Exxon Humble AW46 Hydraulic Oil

Rating: Not Rated Yet **Price**Sales price \$93.18

Sales price without tax \$93.18

Tax amount

Ask a question about this product

Description

Humble™ Hydraulic H

Hydraulic Oil

Product Description

The Humble™ Hydraulic H Series oils are good quality anti-wear hydraulic oils intended for industrial and mobile service applications where anti-wear lubricants are required. They are formulated to deliver good performance in a range of hydraulic components used in systems subjected to moderate operating conditions.

1 / 3

Features and Benefits

The Humble Hydraulic H Series oils provide good anti-wear protection reducing wear in pumps and actuators in open or closed-loop systems. Their good resistance to oxidation and thermal degradation helps reduce the formation of deposits and varnish. The Humble Hydraulic H Series offers the following benefits:

- Good anti-wear protection helping improve component life
- Resistance to oxidation helping to reduce deposit formation
- Good water separation properties allow easy removal of water from systems helping reduce potential damage to system components

Applications

- Fluid power systems
- Hydraulic systems using gear, vane and piston pumps
- Hydraulic pumps and components requiring anti-wear fluids

Specifications and Approvals

Humble 32 46 68 Hydraulic H is recommended by ExxonMobil for use in applications requiring: Vickers M-2950-S Χ Χ Х Vickers I-286-S Χ Х Χ

Typical Properties

 Humble
 32
 46
 68

 Hydraulic H
 4
 68

 ISO viscosity
 4
 68

 grade
 32
 6

 Viscosity
 6
 6

cSt @ 40°C cSt @ 100°C	31.0 5.4 95	44.5 6.7 95	65.0 8.5 95
Viscosity index, ASTM D 2270	95	95	90
Pour point,	-18	-18	-12
ASTM D 97 °C			
Flash Point,	206(403	216(421	222(432
ASTM D 92)))
°C(°F)			
Demulsibility,	40/40/0	40/40/0	41/39/0
ASTM D 1401	(15)	(15)	(20)
IP281	Pass	Pass	Pass
TOST, ASTM	2000+	2000+	2000+
D943			
Health and Safety			

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application and the recommendations provided in the Material Safety Data Sheet (MSDS) are followed. MSDS's are available upon request through your sales contract office, or via the Internet. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

//